

Dylways | London | SE5



Share of Freehold


£450,000

- Two Double bedrooms
- Recently renovated
- New Kitchen
- New Bathroom
- Wooden Floors
- New boiler and radiators
- New bathroom
- Local parks and green spaces
- Excellent Transport links
- Share of Freehold




Two double bedroom maisonette on a quiet, leafy road off Denmark Hill. It has been recently renovated to a high standard. There is a new fitted kitchen and boiler, wood flooring has been laid throughout, and new radiators have been installed in every room. The living room is spacious as are the two bedrooms and the flat has ample built in storage solutions. Excellent transport links to Central London. It is only a short walk across Greendale Playing Fields to East Dulwich station and Denmark Hill station is equally walkable. The bars, bistros and cafés of Dulwich village and Lordship Lane are very nearby and the property is an easy stroll to King's College Hospital. There are also excellent schools nearby. Share of Freehold.





GROUND FLOOR



1ST FLOOR

TOTAL APPROX. FLOOR AREA 797 SQ.FT. (74.0 SQ.M.)

Whilst every attempt has been made to ensure the accuracy of the floor plan contained here, measurements of doors, windows, rooms and any other items are approximate and no responsibility is taken for any error, omission, or mis-statement. This plan is for illustrative purposes only and should be used as such by any prospective purchaser. The services, systems and appliances shown have not been tested and no guarantee as to their operability or efficiency can be given
Made with Metropix ©2021

Viewing Arrangements

Strictly by appointment

Contact Details

121 Denmark Hill

London

SE5 8EN

www.urbanvillagehomes.co.uk

sales@urbanvillagehomes.com

020 3519 9121

Agents Note: Whilst every care has been taken to prepare these sales particulars, they are for guidance purposes only. All measurements are approximate and for general guidance purposes only and whilst every care has been taken to ensure their accuracy, they should not be relied upon and potential buyers are advised to recheck the measurements